

Glass Hardware Fittings

vegnar

Engineered for Elegance



www.vegnararch.com

About Us:

Vegnar Hardware is a dynamic, Rajkot-based manufacturer specializing in the premium segment of architectural hardware and modular Railing Systems . Established with a commitment to excellence, we aim to deliver products that combine superior craftsmanship, durability, and modern design. Since our inception,

Vegnar has adhered to stringent international quality standards, ensuring our products meet global technical benchmarks. Our products are crafted by skilled professionals using premium-grade raw materials. Each product undergoes rigorous quality testing to ensure flawless performance, durability, and aesthetic appeal.

vegnar
Engineered for Elegance



www.vegnararch.com

INDEX

- ▶ [Floor Spring](#)
- ▶ [Floor Spring Combo sets](#)
- ▶ [Patch Fittings](#)
- ▶ [Glass Connectors](#)
- ▶ [Shower Headers \(Round\)](#)
- ▶ [Shower Headers \(Square\)](#)
- ▶ [Plastic Profiles & Door Knobs](#)
- ▶ [Sliding Roller Sets](#)
- ▶ [Sliding Handles](#)
- ▶ [Glass Locks](#)
- ▶ [Hydraulic Patch](#)
- ▶ [Shower Hinges](#)
- ▶ [Canopy Fittings](#)
- ▶ [Shower Sliding Systems](#)
- ▶ [Glass Sliding Folding Systems](#)
- ▶ [Spider Fitting Systems](#)
- ▶ [Route, Spice Plate & Fin Plate](#)
- ▶ [Glass Door Pull Handle](#)
- ▶ [Shower Cubical Pull Handle](#)
- ▶ [Door Pull Handle With Lock](#)
- ▶ [Mortice Locks](#)

High grade cast c mechanism bodydy is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.

Internal mechanism components utilizing heat treated high alloy steel & ball bearing for optimum efficiency Stable hydraulic fluid for any climate operation & constant lubrication Suitable for timber, metal & tempered glass doors.



VFS90-SS

Single Cylinder Floor Spring



VFS120S-SS

Double Cylinder Floor Spring



VFS150S-SS

Double Cylinder Floor Spring

Specification:

Over 5,00,000 cycles tested. Over 5, cycies tested.

General design, suitable for left or right hand to open the door in single and both sides.

Universal machine cylinder.

Closing force-20nm. force-20nm.a Maximum wide door leaf 900mm

Maximum door weight 60-90kgs

Speed covering control-two stage

adjustable speed. Location-90° hold open

Floor Spring Combo sets



VFS90-SS1

Combo set with Single
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS90-SS2

Combo set with Single
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS90-SS3

Combo set with Single
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS120S-SS1

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS120S-SS2

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS120S-SS3

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS150S-SS1

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS150S-SS2

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VFS150S-SS3

Combo set with Double
Cylinder Floor Spring,
Top, Bottom, Patch Pivot



VPF11-SS

Top Side Patch



VPF12-SS

Bottom Side Patch



VPF13-SS

Bottom Side Patch Lock



VPF14-SS

Strick Box




VPF15-SS

Over Panel Patch



VPF16-SS

L-Shape Patch



VPF17-SS

Small L-Shape Patch



VPF18-SS

Top Pivot



VPF19-SS

Clip Patch



VPF20-SS

Connector Patch



VPF21-SS

Connector Patch 2



VPF22-SS

Patch - Square



VPF23-L-SS

Panel Patch - L



VPF23-R-SS

Panel Patch - R



VPF24-SS

Double Panel Patch

Material - SS304
Door Thickness - 8mm-12mm

Weight Capacity - 45kg
Finish - Matt, Glossy & PVDF

Thickness - 4mm



VGC32-SS

Fix Clip



VGC33-SS

Wall to Glass - 90°



VGC34-SS

Wall to Glass - 180°



VGC35-SS

Glass to Glass - 90°



VGC36-SS

Glass to Glass - 180°



VGC37-SS

Glass to Glass - 135°

Metal Sheet Connectors



VGC32-MS-SS

Fix Clip



VGC33-MS-SS

Wall to Glass - 90°



VGC34-MS-SS

Wall to Glass - 180°



VGC35-MS-SS

Glass to Glass - 90°



VGC36-MS-SS

Glass to Glass - 180°



VGC37-MS-SS

Glass to Glass - 135°

Shower Headers (Round)

Material - Brass /SS304
Finish - Matt, Glossy & PVDF



VSH39-SS

Wall to Pipe



VSH40-SS

Pipe to Glass



VSH41-SS

Pipe to Glass 2



VSH42-SS

Pipe to Pipe



VSH43-SS

Three Pipe Connector



VSH44-SS

Rod Pipe - Round

Shower Headers (Square)

Material - Brass /SS304
Finish - Matt, Glossy & PVDF

VSH45-SS

Wall to Pipe

VSH46-SS

Pipe to Glass

VSH47-SS

Pipe to Glass 2



VSH48-SS


Pipe to Pipe

VSH49-SS


Three Pipe Connector

VSH50-SS


Rod Pipe - Square




VPP-52




VPP-53




VPP-54



VPP-55



VPP-56



VPP-57



VPP-59



VPP-60



VPP-61

VSR-S-63

Small Round Slide Roller

SPECIFICATION

- Suitable For 10mm or 12mm Glass
- Suitable For Door Weight 50kg
- Larger Surface Area For Secure Grip of the Door
- Adjustable Threaded For Installation Perfection
- Solid SS304 Grade For Glass Holding



VSR-L-64

Large Round Slide Roller

SPECIFICATION

- Heavy Duty Sliding Door Roller
- Suitable For Door Weight 50kg
- Larger Surface Area For Secure Grip of the Door
- Adjustable Threaded For Installation Perfection
- Solid SS304 Grade For Glass Holding



Sliding Fittings



VSH66-R-SS

Round Shaped



VSH67-R-SS

Round Shaped



VSH68-S-SS

Square Shaped



VSH69-R-SS

Rectangle Shaped



VSH70-R-SS

Rectangle Shaped



VSTF- 72

Stopper (PVC)



VSTF- 73

Stopper (PVC)



VSFC-74

Clamps



VSFC75-SS

Clamps



VSFG76-SS

Floor Guide

Aluminium Sliding Tracks



VAST-78

Single Slide Track



VAST-80

Fix Slide Track



VAST-79

Double Slide Track



VGL82-SS

Wall to Glass 1



VGL83-SS

Wall to Glass 2



VGL84-SS

Wall to Glass 3



VGL85-SS

Wall to Glass 4



VGL86-SS

Glass to Glass 1



VGL87-SS

Glass to Glass 2



VGL88-SS

Glass to Glass 3



VGL89-SS

Glass to Glass 4



VHYP90-SS

Product Specification

Suitable Door Weight: Max 55g

Suitable Door Width: 750mm

Suitable Door Height : 2100mm

Suitable Door Thickness: 8-12mm

Ambient Temperature: -20°C~+50°C

Quick and easy installation



VHYP120-SS

Product Specification

Suitable Door Weight: Max 75g


Suitable Door Width: 900mm

Suitable Door Height : 2400mm

Suitable Door Thickness: 8-12mm

Ambient Temperature: -20°C~+50°C

Quick and easy installation





VSH25-SS

Wall to Glass - 90°



VSH26-SS

Wall to Glass - 180°



VSH27-SS

Offset Wall to Glass - 90°



VSH28-SS

Glass to Glass - 90°




VSH29-SS

Glass to Glass - 135°



VSH30-SS

Fix Wall to Glass



VSH31-SS

Three glass Fixing





VCF-91-SS

Rod to Glass



VCF-92-SS

Wall to Rod



VCF-93-SS

Wall to Glass



VCFR-SS

Rod - Canopy



VCFC-SS

Connector

Point Glass Fitting Systems



VPGFS-95-SS

Wall to Glass - Adjustable



VPGFS-96-SS

Wall to Glass - Fix



VPGFS-97-SS

Glass to Glass - Adjustable



VPGFS-98-SS

Wall to Glass - Adjustable
with Fin

Shower Sliding Systems - A



VR-99-SS

Roller



VGH-SS

Glass Holder



VTH-SS

Track Holder



VST-SS

Stopper



VFG-SS

Floor Guide



VH-SS

Handle



VRT-SS

Rod Track





VR-100-SS
Roller



VGH2-SS
Glass Holder



VTH2-SS
Track Holder



VST2-SS
Stopper



VFG2-SS
Floor Guide



VH2-SS
Handle



VRT2-SS
Rod Track



Glass Sliding Folding Systems



VSG102-SS

Top Fixing Hinge

VSG103-SS

Bottom Fixing Hinge



VGTG104-SS

Glass to Glass Top
Folding Hinge

VGTG105-SS

Glass to Glass
Bottom Folding Hinge



VCH-R-SS

Top Center Hinge
With Roller

VETH-R-SS

Bottom Hinge
With Guide



VBH-G-SS

End Top Hinge
With Roller

VEH-G-SS

End Bottom Hinge
With Guide




VWTGH-SS

Wall to Glass Hinge

VST2-SS

Bottom Stopper



VTT1-SS

Top Track 12 Ft.



VTB1-SS

Bottom Track 12 Ft.

Spider Fitting Systems



VSF-111-SS

Two Way Spider



VSF-117-SS

Four Way Spider



VSF-107-SS

One Way Spider



VSF-113-SS

Two Way 180°



VSF-112-SS

Two Way 90°



VSF-115-SS

Three Way Spider



VSF-116-SS

Four Way Spider



VSF-108-SS

One Way (WR)
Fin Spider



VSF-109-SS

One Way (WL)
Fin Spider



VSF-110-SS

One Way (WM)
Fin Spider



VSF-114-SS

Two Way (w)
Fin Spider



VSF-118-SS

Four Way 90°



VSF-119-SS

Four Way 135°



VR110-SS

Fixed



VR111-SS

Agricultural Degree



VR112-SS

Agricultural Flat



VR113-SS

Agricultural Counter
Sunk



VR114-SS

Iron Assembly

Spice Plate



VSP116-SS

200 mm



VSP117-SS

250 mm



VSP118-SS

300 mm



VSP119-SS

350 mm



VSP120-SS

400 mm

Fin Plate



VSP116-SS

200 mm



VSP117-SS

250 mm



VSP118-SS

300 mm



VSP119-SS

350 mm



VSP120-SS

400 mm

Glass Door Pull Handle



ITEM CODE	PHH	CTC
PHH-122-SS	22	300
PHH-123-SS	25	300
PHH-124-SS	25	450
PHH-125-SS	25	600
PHH-126-SS	32	300
PHH-127-SS	32	450
PHH-128-SS	32	600
PHH-129-SS	32	900

ITEM CODE	PHH	CTC
PHN-122-SS	20	300
PHN-123-SS	25	300
PHN-124-SS	25	450
PHN-125-SS	25	600




Glass Door Pull Handle



ITEM CODE	PHH	CTC
PHC-R-122-SS	20	300
PHC-R-123-SS	25	300
PHC-R-124-SS	25	450
PHC-R-125-SS	25	600

ITEM CODE	PHH	CTC
PHC-S-122-SS	20	300
PHC-S-123-SS	25	300
PHC-S-124-SS	25	450
PHC-S-125-SS	25	600



ITEM CODE	PHH	CTC
PHD-122-SS	20	300
PHD-123-SS	25	300
PHD-124-SS	25	450
PHD-125-SS	25	600

Glass Door Pull Handle



ITEM CODE	PH (with end caps)	CTC
PHEC-122-SS	22	250
PHEC-123-SS	22	300
PHEC-124-SS	22	450
PHEC-125-SS	22	600

ITEM CODE	PHH	CTC
PHS-122-SS	22	250
PHS-123-SS	22	300



ITEM CODE	PHH (combi)	CTC
PHS-C-122-SS	22	250
PHS-C-123-SS	22	300

Shower Cubical Pull Handle



ITEM CODE	Diameter (C)	Center to Center Hole (B)	Center to Center Hole (A)
PH-SCR-122-SS	19	150	400
PH-SCR-123-SS	19	150	450
PH-SCR-124-SS	19	200	400
PH-SCR-125-SS	19	200	450

ITEM CODE	Diameter (C)	Center to Center Hole (B)	Center to Center Hole (A)
PH-SCS-122-SS	20	150	400
PH-SCS-123-SS	20	150	450
PH-SCS-124-SS	20	200	400
PH-SCS-125-SS	20	200	450



Door Pull Handle With Lock



MH132-SS
Round



MH133-SS
Square

Mortice Handle



MH131-SS



MH132-SS



MH133-SS



MH134-SS



MH135-SS




MH136-SS



MH137-SS



MH138-SS



MH132-SS



MH132-SS



MH133-SS

Euro Profile Cylinder



VEPC1-SS

One side Key & One side Knob



VEPC2-SS

Both Side Key



+91 75700 00553
+91 96015 92298

sales@vegnar.com

www.vegnararch.com

506, Riverawave, Nr. Macdonalds,
Kalawad Road, Rajkot - Gujarat

vegnar

Engineered for Elegance



www.vegnararch.com